AUTHOR INDEX

Barnette, R. M., and Hester, J. B. Influence of inorganic nitrogen compounds on reaction and replaceable bases of Norfolk sand, 431–437.

Bodman, G. B., and Tamachi, M. Studies of soils in the plastic state, 175–195.

Bouyoucos, George John. The indirect determination of various soil characteristics by the hydrometer method, 267–272.

Bradley, Leon A., and Fuller, James E. Nitrogen fixation in field soil under different conditions of cropping and soil treatment, 49–57.

Brown, P. E. *See* **Walker, R. H.**

Burke, Victor, amd Hohl, Nelson J. Cross inoculation with Rhizobium radicicolum, 407–411.

Chapman, H. D., and Kelley, W. P. The determination of the replaceable bases and the base-exchange capacity of soils, 391–406.

Clark, F. M. *See* **Sears, O. H.**

Cooper, H. P., and Wilson, J. K. Relation of ash constituents of pasture plants to the oxidation-reduction potentials of nutrients, 421–430.

Das, Surendralal. An improved method for the determination of available phosphoric acid of soils, 33–48.

Dean, A. L. Nitrogen and organic matter in Hawaiian pineapple soils, 439–442.

Doolas, George Z. Local variation of soil acidity in relation to soybean inoculation, 273–287.

Dreibelbis, F. R. *See* **Schollenberger, C. J.**

Fuller, James E. *See* **Lyon, T. L.**

Gainey, P. L. *See* **Sewell, M. C.**

Hester, J. B. *See* **Barnette, R. M.**

Hohl, Nelson J. *See* **Burke, Victor.**

Humfeld, Harry. A method for measuring carbon dioxide evolution from soil, 1–11.

Jensen, H. L. Actinomycetes in Danish soils, 59–77.

Kelley, W. P. *See* **Chapman, H. D.**

Leighty, Wilbur R., and Shorey, Edmund C. Some carbon-nitrogen relations in soils 257–266.

Leonard, Lewis T., and Reed, H. R. A comparison of some nodule forming and non-nodule forming legumes for green manuring, 231–236.

MacIntire, W. H., Shaw, W. M., and Young, J. B. The oxidation of pyrite and sulfur as influenced by lime and magnesia—a 12-year lysimeter study, 443–457.

Magistad, O. C. Rate of loss of replaceable potassium by leaching, 243–256.

Mann, H. B. Availability of manganese and of iron as affected by application of calcium and magnesium carbonates to the soil, 117–141.

Mattson, Sante. The laws of soil colloidal behavior: III. Isoelectric precipitates, 459–495.

Phillips, Max, Weihe, Herman D., and Smith, N. R. The decomposition of lignified materials by soil microörganisms, 383–390.

Puri, Amar Hath. Electrofiltration: a new method of removing exchangeable bases from soil colloids, 413–419.

Ravikovitch, S. Lime requirements in differently fertilized soils, 79–95.

Reed, H. R. *See* **Leonard, Lewis T.**

Robinson, W. O. Some chemical phases of submerged soil conditions, 197–217.

Schollenberger, C. J. Determination of carbonates in soil, 307–324.

Schollenberger, C. J., and Dreibelbis, F. R. Analytical methods in base exchange investigations on soils, 161–173.

Sears, O. H. Relation of nitrates in soils to the response of crops to potash fertilization: I. Factors contributing to the unproductiveness of "alkali" soils in Illinois, 325–347.

Sears, O. H., and Clark, F. M. Nonreciprocal cross-inoculation of legume nodule bacteria, 237–242.

Sewell, M. C., and Gainey, P. L. Interrelation of nutrients and soil reaction on growth and inoculation of alfalfa, 297–305.

Shaw, W. M. *See* **MacIntire, W. H.,** and Young, J. B.

Shorey, Edmund C. *See* **Leighty, Wilbur R.**

Smith, N. R. *See* **Phillips, Max,** Weihe, Herman, and.

Stevens, Kenneth R. *See* **Waksman, Selman A.**

Tamachi, M. *See* **Bodman, G. B.**

Tenney, Florence G., and Waksman, Selman A. Composition of natural organic materials and their decomposition in the soil: V. Decomposition of various chemical constituents in plant materials, under anaerobic conditions, 143–160.

Tidmore, J. W. Phosphate studies in solution cultures, 13–31.

Turner, P. E. The state of unsaturation of the soil in relation to its field behavior and lime requirement, 349–381.

Waksman, Selman A. *See* **Tenney, Florence G.**

Waksman, Selman A., and Stevens, Kenneth R. A critical study for determining the nature and abundance of soil organic matter, 97–116.

Walker, R. H., and Brown, P. E. Some fermentation characteristics of various strains of Rhizobium meliloti and Rhizobium japonicum, 219–229.

Weihe, Herman D. *See* **Phillips, Max,** and Smith, N. R.

Wilson, J. K. Seasonal variation in the number of two species of Rhizobium in soil, 289–296; *See* **Cooper, H. P.**

Young, J. B. *See* **MacIntire, W. H.,** and.

SUBJECT INDEX

Acidity, actinomycetes resistance to, 73.
Actinomycetes—
  description of various groups, 64.
  in Danish soils, 59–77.
  physiological studies with various, 68.
Aerobic decomposition of plants, 143–160.
Alfalfa—
  aerobic decomposition of, 158.
  anaerobic decomposition of, 158.
  decomposition of, plants, 151.
  inoculation and growth of, as influenced by reaction and nutrients of soil, 297–305.
Alkali—
  exchangeable, acetate method, 169.
  soils—
    composition of three, 338.
    unproductiveness of, factors contributing to, 325.
Aluminum—
  extraction of, with ammonium acetate, 170.
  hydroxide, isoelectric, 460.
  phosphate, isoelectric, 467.
Ammonium—
  absorbed, determination of, 171.
  acetate as a base exchange salt, 161.
  exchangeable, determination of, 171.
  sulfate, effect on replaceable bases, 434.
Anaerobic decomposition of plants, 143–160.
Anion adsorption of soil colloids, 487.
Bacteria—
  number of, in field soils various fertilized, 52.
  radicicola, viability in acid soils, 281.
  Rhizobium—
    meliloti and japonicum, fermentation characteristics of, 219–229.
    radicicolum, cross inoculation with, 407–411.
    seasonal variations in number of, 289–296.
Base exchange—
  ammonia absorption method, 398.
  capacity of soils, determination of, 391–406.
  carbonates dissolved with ammonium acetate as, salt, 172.
  methods of investigation, 161–173, 398, 413.
Bases—
  exchangeable—
    estimation of, 416.
    in limed soils, 84.
    in unlimed soils, 84.
    method of removing, from soil colloids, 413–419.
  replaceable—
    in soils, determination of, 392.
    nitrogen inorganic, influence of, on, 431.
Calcium—
  carbonate—
    reserve needed in soils, 374.
    solubility of, in NaCl, 82.
  carbonate, effect on—
    actinomycetes in acid soils, 62.
    exchangeable calcium, 85.
    hydrogen-ion concentration of some soils, 123.
    manganese and iron availability in soil, 117.
  exchangeable, 364.
  exchangeable, as affected by—
    errors due to sampling, 353.
    fertilizer treatment, 86.
  exchangeable methods—
    acetate, 168.
    different, 394.
    Gedroiz, 82.
    Hissink, 82, 368, 394.
    Tyurin, 82.
Carbohydrates, organic acid formation from, by actinomycetes, 70.
Carbon—
  dioxide—
    apparatus used in measuring, 2.
    effect on solubility of submerged soil constituents, 205.
    method of measuring, 1–11.
    review of methods, 308.
  nitrogen ratio relations, 257–266.

Carbonates, determination of, in soil, 307.
Cations—*see* also Bases, Base exchange.
  exchangeable in soils, 79–95.
Colloid—
  clay content determination, 190.
  determination of, content of soils indirectly, 270.
Colloidal—
  complex of soil, absorption of nutrient ions, 425.
  laws of soil, behavior, 459–495.
Colloids—
  anion adsorption by, 487.
  removing exchangeable bases from soil, 413–419.
  soil, factors governing the composition of inorganic, 488.
  soil, influence of $\frac{SiO_2}{R_2O_3}$ ratio on, 486.
Corn—
  aerobic decomposition of, 157.
  anaerobic decomposition of, 157.
  carbon dioxide evolution from soil in, 6.
  phosphate content of, sap, 26.
  potash experiments with, 329.
  stalks, composition of, 146.
  titration curves for sap from, 26.
Crop rotation experiments, 49.
Culture solution, *see* Nutrient solution.
Definite proportions, law of, 490.
Diastase formation by actinomycetes, 71.
Dilatometer method modification, 267.
Electric charge and crystallization, 491.
Electrofiltration as a method of removing bases, 413–419.
Fertilizer—*see* also Nitrogen, Potassium, Phosphate, Phosphorus.
  effect on—
    exchangeable calcium, 86.
    soybean growth and composition, 128.
  experiments in Massachusetts, 50.
  potash—
    absorption of, salts, 339.
    response of crops to, 325–347.
Hydrogen—
  exchangeable, Mattson method of determining, 83.
  peroxide extraction of soils, 190.
  replacement of, in soils, 400.
Hydrogen-ion concentration—
  effect on—
    lime requirement, 92.
    nitrogen fixation, 56.
    phosphate absorption, 28.
  in various media for actinomycetes, 70–74.
Hydrometer method for determining soil characteristics, 267.
Invertase formation by actinomycetes, 71.
Ion density, relation between particle size of curvature and, 493.
Iron—
  availability of, in soil, 117.
  hydroxide, isoelectric, 460.
  in bog water, 198.
  phosphate, isoelectric, 467.
  solubility of—
    as influenced by time of extraction, 199.
    in various soils, 119.
Isoelectric precipitates, 459.
Legumes, nodule forming and non-nodule, for green manuring, 231–242.
Lettuce, potash experiments on, 327.
Lignin, decomposition of, by soil microorganisms, 383.
Lime—
  effect on—
    exchangeable calcium, 85.
    physical condition of soil, 358.
    pyrite oxidation, 443.
    sulfur oxidation, 443.
  requirement, determination on basis of degree of unsaturation, 370.
  requirement, relation to—
    exchangeable cations, 79–95.
    hydrogen-ion concentration, 92.
    unsaturation of soil, 349–381.
  snail shells as, their composition, 337.
Lysimeters, a 12-year study, 443.
Magnesium—
  carbonate, effect on—
    hydrogen-ion concentration of soil, 123.
    manganese and iron availability in soil, 117.
    pyrite oxidation, 443.
    sulfur oxidation, 443.
  exchangeable—
    acetate method, 168.
Manganese—
  availability of, in soil, 117.
  determination of, in various soils, 119.
  in bog water, 198.
  solubility of, as affected by—
    carbon dioxide, 205.
    time of extraction, 199.
  solubility of, in various soils, 119.

Micellar atmosphere, relation between particle size or curvature and the ion density in the, 493.
Microörganisms, lignified materials, decomposition of, by soil, 383–390.
Moisture equivalent, determination of, 188, 269.
Nitrate accumulation of, as influenced by moisture, 333.
Nitrates—
  potash fertilization and, in soils, 325.
Nutrient—
  media for—
    actinomycetes, 70.
  solution—
    corn in, 15.
    phosphate studies, 13–31.
    sorghum in, 15.
    tomatoes in, 15.
Nitrite formation by actinomycetes, 70.
Nitrogen—
  fixation, as affected by—
    cropping, 49–57.
    soil treatment, 49–57.
  in Hawaiian soils, 439.
  inorganic, influence of, on reaction and bases of Norfolk sand, 431–437.
  losses from alfalfa decomposition, 153.
Oak leaves, composition of, 150.
Organic matter—
  anaerobic decomposition of, 143.
  chlorine dioxide extraction of, 100.
  hydrogen-peroxide extraction of, 100.
  in Hawaiian soils, 439–442.
  methods for determining, 97–116.
  natural, composition and decomposition of, 143–160.
Oxidation-reduction potentials of nutrients, relation to ash constituents of pasture plants, 421–430.
Phosphate—
  absorption of, by plants of various pH, 28.
  concentration and pH, relation to composition of isoelectric precipitates of Al and Fe phosphates, 468.
  maximae for tomatoes, corn, and sorghum, 31.
  solution cultures, studies in, 13–31.
Phosphoric acid—*see* also Soils phosphoric acid.
  citric acid versus K_2CO_3 method for determining available, 36–42.
  method of determining available, in soils, 33–48.
Plant—
  chlorosis treatment, 129.
  growth, rate of, 20.
  materials, decomposition of, under anaerobic conditions, 143–160.
  sap—
    buffer capacity of, 25.
    phosphate content of, 17, 23.
Plants—
  analysis of pasture, 422, 424.
  ash constituents of pasture, relation to oxidation-reduction potentials of nutrients, 421–430.
  chlorosis of, as corrected by foliage treatment, 129.
  light requirements of, relation to their food value and soil fertility, 427.
  wilting coefficient of, determination by hydrometer method, 270.
Plasticity of soils, 180.
Potassium—
  carbonate method for determining available phosphorus, 48.
  replaceable, rate of loss by leaching, 243–256.
  soil, availability of, 338.
Proteolytic activity of actinomycetes, 72.
Pyrite, oxidation of, as influenced by lime and magnesia, 443–457.
Silica sesquioxide ratio influence on adsorptive behavior and electrokinetic behavior of soil colloids, 486.
Silicate, sulfated complex, 476.
Silicates—
  effect of divalent cations on, 485.
  iron and aluminum, isoelectric precipitates, 468, 472.
  isoelectric, effect of dilution on the pH and composition of, 479.
Snail shells, composition of, 337.
Soil—
  acidity, relation to soybean inoculation, 273–287.
  bacteria, *see* Bacteria.
  carbon dioxide evolution from, 1–11.
  carbonates—
    apparatus for the determination of, 315.
    determination of, 307–324.
  characteristics, determination by hydrometer method, 267–272.

colloids—
determination by indirect methods, 270.
total, 269.
colloids, *see* colloid, colloids.
fallow, carbon dioxide evolution in, 6.
fertility, relation to light requirements of plants, 427.
iron availability in, 117–141.
manganese availability in, 117–141.
microörganisms, *see* Microörganisms.
nitrogen, fixation of, in field, 49–57.
organic matter, *see* Organic matter.
reaction—*see* also H-ion concentration, Soil acidity.
influence of inorganic nitrogen on, 431.
saturation capacity, errors in determining, 353, 355, 363.
solution—
composition of submerged, 203.
displaced, composition of, 341.
plant growth in, 30.
submerged, reaction of, 206.
submerged—
chemical phases of, 197–217.
gases from, 208.
toxicity of, 212.
unsaturation, relation to lime requirement, 349–381.
Soils—
acid—
actinomycetes in, 62.
available phosphoric acid in, 37.
alkali—*see* also Alkali.
available phosphoric acid in, 40.
base exchange in, *see* Base exchange.
British West Indies, description of some, 361.
carbon-nitrogen relations in, 257–266.
chlorosis of soybeans on limed, 128.
Danish, actinomycetes in, 59–77.
exchangeable cations and lime requirement in, 79–95.
forest, actinomycetes in, 61.
Hawaiian, nitrogen and organic matter in, 439–442.
heath, actinomycetes, in, 61.
humus, available phosphoric acid in, 37.
hydrogen peroxide digestion of, 190.
laterite, available phosphoric acid in, 38.
marsh, actinomycetes in, 61.
mechanical analysis of, by electrofiltration, 417.
moor, actinomycetes in, 61.
nitrates in, relation to the response of crops to potash fertilization, 325–347.
phosphoric acid—
methods of determining available, 33–48.
total and available in, 44.
plastic state of, 175–195.
unsaturation of, 88.
Solution cultures, phosphate studies in, 13–31. *See* also Nutrient solutions.
Sorghum—
phosphate content of, 27.
titration curve of, stems, 27.
Soybeans—
as affected by—
calcium carbonate, 124.
fertilization, 128.
hydrogen-ion concentration, 277–281.
magnesium carbonate, 124.
carbon-dioxide evolution from soil under, 6.
chlorosis of, on limed soils, 128.
Sphagnum plants, composition of, 154.
Straw—
composition of rye, 148.
use of, for alkali soils, 330.
Sulfated, silicate complex, 476.
Sulfur, oxidation of, as influenced by lime and magnesia, 443–457.
Tomato—
phosphate content of, 27.
titration curve of, stems, 27.
Wheat, potash experiments on, 327.
Water—
unfree, determination of, in soils, 269.
vapor absorption by soils, 190.
colloid-clay content by the method of, 190.
Wilting coefficient, determination of by hydrometer, 270.